Cleaning draught dispense brass and chrome

Cloth	Blue
PPE	N/A
Chemicals	Brass cleaner Washing-up liquid
Reference	COSHH manual DMLB SOP B0026 - Dealing with a spillage SOP OF0087 - Logging and reviewing APOS wastage

Step





Areas that need to be polished:

- · Hand-pull base, stem, arch and tip.
- T-Bars.
- Drip tray covers.
- Stand alone fonts.







To clean chrome:

- Using a clean blue cloth and warm soapy water, wipe over the base, stem, arch and tip of hand-pulls, T-bars and fonts.
- Once cleaned, use blue roll to polish until dry and gleaming.
- The channel at the base of the T-bar must be cleaned daily using blue roll.





- Drip tray covers need to be put through the glasswash at the end of every night.
- Allow to air dry and replace on bar top.

Step 4



To clean brass:

- Apply small amount of brass cleaner to blue roll and apply to base, stem, arch and tip of hand-pulls and T-bars using a circular motion until all areas are
- Before the brass cleaner dries, polish off using blue roll until gleaming.

Step 5



- Brass drip tray covers need to be washed in warm soapy water at the end of every night.
- Dry with blue roll and refer to step 4 to polish.
- Replace on bar top.

Private and confidential – for internal use only

SOP -B0016

Cleaning draught dispense brass and chrome

Step 6



Drip trays:

- Drain and measure drip tray wastage. Record in the DMLB.
- Clean inside and outside with warm soapy water.
- Leave to air dry.

Step



- These duties are part of the bar closedown procedures.
- Once checked and completed, record in the DMLB.
- Mop up any spillage immediately and dry with blue roll. Refer to SOP B0026 -Dealing with a spillage.
- Wastage must be recorded in the DMLB and transferred to APOS wastage on a daily basis. Refer to SOP OF0087 Logging and reviewing APOS wastage.
- Action must be taken to repair or replace all damaged drip trays and dispense equipment.